From: <u>Huggins, Richard</u>

To: <u>William Matthews</u>; <u>Mills, Jason</u>; <u>Lloyd, Michelle</u>; <u>Jackson, Mary</u>; <u>Celeste, Laurel</u>

Cc: Maile Murray

Subject: RE: Cleco Power LLC - Request to Withdraw Application for CCR Part B Liner Equivalency Demonstrations

Date: Wednesday, October 20, 2021 8:35:32 AM

Attachments: <u>image001.png</u>

Mr. Matthews,

Thank you for providing the EPA this information. We will update our Part B implementation website to say the application has been withdrawn and we will stop our review of the Part B application.

Have a good day, Richard

Richard Huggins Jr., Chief

Energy Recovery and Waste Disposal Branch Office of Resource Conservation and Recovery U.S. Environmental Protection Agency

Desk: 703-308-0017 iPhone: 571-345-6855

From: William Matthews < william.matthews@cleco.com>

Sent: Tuesday, October 19, 2021 5:24 PM

To: Huggins, Richard <Huggins.Richard@epa.gov>; Mills, Jason <Mills.Jason@epa.gov>; Lloyd, Michelle <Lloyd.Michelle@epa.gov>; Jackson, Mary <Jackson.Mary@epa.gov>; Celeste, Laurel <celeste.laurel@epa.gov>

Cc: Maile Murray < Maile. Murray@cleco.com>

Subject: Cleco Power LLC - Request to Withdraw Application for CCR Part B Liner Equivalency Demonstrations

Hello Mr. Huggins,

In accordance with 40 C.F.R. § 257.71(d)(1)(i), Cleco Power LLC (Cleco) submitted to EPA Administrator Wheeler on December 14, 2020 a

letter announcing the intention to submit alternate liner demonstrations pursuant to 40 C.F.R. § 257.71(d)(1)(ii) for the bottom ash

pond and fly ash pond at Brame Energy Center, located at 275 Rodemacher Road in Lena, Louisiana 71447. Enclosed with the letter was

Cleco's application requesting the opportunity to submit alternate liner demonstrations. At this time, Cleco has determined not to submit

the alternate liner demonstrations and so is now respectfully requesting to withdraw the application.

If more information is needed, I can be reached by email or by phone at 318 484-7718.

Thanks very much,

Bill Matthews Director Environmental Policy/Planning

318- 484-7718 Cell

